


How to setup 3com Router [Static Configuration]



- Login into the router with **192.168.1.1**
- The default password is: **admin**

3Com - OfficeConnect ADSL Wireless 11g Firewall Router - Microsoft Internet Explorer provided by TE Data Home Page

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Refresh Print Mail Stop

Address 192.168.1.1 Go Links >>

OfficeConnect[®] ADSL Wireless 11g Firewall Router

Welcome Setup Wizard/Change Password

Notice Board Password **Wizard**

Setup Wizard - Change Password

To ensure the security of your Router, it is recommended that you choose a new password - this should be a mix of letters and numbers, and not easily guessed by others. To leave the password unchanged, leave the fields blank and press 'Next'

Current Password ←


New Password ←

Confirm New Password ←

3COM

- Welcome ←
- LAN Settings
- Wireless Settings
- Internet Settings
- Firewall
- QoS
- Advanced
- System Tools
- Status and Logs
- Support/Feedback

Powered by



Status : Ready

- Chose **Welcome** and then click **Wizard**
- And Write **admin** in **Current Password** and **New Password**

3Com - OfficeConnect ADSL Wireless 11g Firewall Router - Microsoft Internet Explorer provided by TE Data Home Page

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Refresh Print Mail Stop Send To

Address 192.168.1.1 Go Links

OfficeConnect[®] ADSL Wireless 11g Firewall Router

Setup Wizard/Time and Time Zone

Notice Board Password **Wizard**

Setup Wizard - Time and Time Zone

Current time: January 1, 2003 12:08:55 AM

Using Time Server (NTP) Enable

Set Time Zone

Time Server

Daylight Savings Enable

<< Back **Next >>** Cancel

3COM

- Welcome
- LAN Settings
- Wireless Settings
- Internet Settings
- Firewall
- QoS
- Advanced
- System Tools
- Status and Logs
- Support/Feedback

Powered by

TE Data

Status : Ready

- And then Choose **Cairo**.

3Com - OfficeConnect ADSL Wireless 11g Firewall Router - Microsoft Internet Explorer provided by TE Data Home Page

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites Refresh Print Mail News RSS Links

Address 192.168.1.1 Go

OfficeConnect[®] ADSL Wireless 11g Firewall Router

Setup Wizard/Connection Type

Notice Board Password Wizard


Setup Wizard - Connection Type

The following information is usually provided by your ISP.
Please select the Internet sharing protocol.

- PPPoE
- PPPoA
- Bridge Mode (For a single PC)
- Routing Mode over ATM
- Dynamic/Fixed IP in 1483 Bridge Mode (For Multiple PCs)

<<Back Next>> Cancel

Powered by



Status : Ready

- And then Choose **PPPoE**.

3Com - OfficeConnect ADSL Wireless 11g Firewall Router - Microsoft Internet Explorer provided by TE Data Home Page

File Edit View Favorites Tools Help

Address 192.168.1.1

OfficeConnect[®] ADSL Wireless 11g Firewall Router

Setup Wizard/PPPoE/Parameter Settings

Notice Board Password Wizard

Setup Wizard - Parameter Settings

The following information are usually provided by your ISP.

Username

Password

Retype Password

VPI/VCI /

Encapsulation

<< Back **Next >>** Cancel

3COM

- Welcome
- LAN Settings
- Wireless Settings
- Internet Settings
- Firewall
- QoS
- Advanced
- System Tools
- Status and Logs
- Support/Feedback

Powered by

TE Data

Status : Ready

- Type the **Username** and **Password** and **Retype password**
- And then **VPI: 0 VCI: 35**
- And then **Encapsulation: LLC.**

3Com - OfficeConnect ADSL Wireless 11g Firewall Router - Microsoft Internet Explorer provided by TE Data Home Page

File Edit View Favorites Tools Help

Address http://81.10.9.9/main_frame_admin1.stm

OfficeConnect[®] ADSL Wireless 11g Firewall Router

Setup Wizard/LAN Settings

Notice Board Password Wizard

Setup Wizard - LAN Configuration

IP Address 81 . 10 . 9 . 11

Subnet Mask 255 . 255 . 255 . 252

Setup Wizard - DHCP Server Parameters

DHCP server On Off

<<Back Next>> Cancel

Status : Ready

- And then we write option pack **IP Address** and **Subnet Mask**.
- And will make **DHCP: OFF**

Setup Wizard
LAN Settings
Wireless Settings
Internet Settings
Firewall
Advanced
Routing
DDNS
SNMP
System Tools
Status and Logs
Support/Feedback
Log Out

Advanced

NAT

NAT ON OFF
IPSEC NAT-T Pass-through ON OFF

Universal Plug and Play

The Universal Plug and Play architecture offers pervasive peer-to-peer network connectivity of PCs of all form factors, intelligent appliances, and wireless devices. **Universal Plug & Play** enables seamless proximity networking in addition to control and data transfer among networked devices in the home, office and everywhere in between.

Universal Plug & Play ON OFF

WAN Ping Blocking

You can configure the Router not to respond to an ICMP Ping (ping to the WAN port). This offers a heightened level of security.

Block ICMP Ping

Remote Administration

Remote management allows you to manage the Router from anywhere on the internet. Before you enable remote management, 3Com advise you to change the Administrator password. To remotely manage the Router, the remote user should type into their browser. <http://<Router WAN IP address>: 8000>

Any IP address can remotely manage the router.

Only this IP address can remotely manage the router . . .

Help Apply Cancel

Done

- And from Advanced set **NAT** to **off**.

3Com - OfficeConnect ADSL Wireless 11g Firewall Router - Microsoft Internet Explorer provided by TE Data Home Page

File Edit View Favorites Tools Help

Address 192.168.1.1 Go Links >>

OfficeConnect[®] ADSL Wireless 11g Firewall Router

Setup Wizard/Wireless Setting

Notice Board Password **Wizard**

Setup Wizard - Wireless Settings

To set up the Wireless features, select a channel from the list and specify the SSID. Your Wireless PCs must be configured with the same settings to communicate with the Router.

Channel

SSID

Note: The default SSID is 3Com.

<<Back **Next>>** Cancel

3COM

- Welcome
- LAN Settings
- Wireless Settings
- Internet Settings
- Firewall
- QoS
- Advanced
- System Tools
- Status and Logs
- Support/Feedback

Powered by

Status : Ready

- And then we will leave the the **Channel: 11** and **SSID: 3Com** as **default**.

3Com - OfficeConnect ADSL Wireless 11g Firewall Router - Microsoft Internet Explorer provided by TE Data Home Page

File Edit View Favorites Tools Help

Address http://81.10.9.9

OfficeConnect[®] ADSL Wireless 11g Firewall Router

Setup Wizard/Configuration Summary

Notice Board Password Wizard

ADSL Parameters	
Protocol	PPP over Ethernet
VPI / VCI	0 / 35
AAL5 Encapsulation	LLC

LAN Parameters	
IP Address	81.10.9.11
Subnet Mask	255.255.255.252
DHCP Server	Disabled

ISP Parameters	
User Name	username@tedata.net eg
Password	*****

Wireless Parameters	
Channel	11
SSID	3Com

<< Back **Apply** Cancel

Status : Ready

- And then click **Apply** to finish the configuration.



::: Copyright © 2007 . TE Data Support Team . All Rights Reserved :::

::: For Further Informations Call Us At 19777 :::

